

return to water



CONTENTS

FINS..


MASKS.

SNORKELS....

GAUGES/CONSOLES...

BUOYS AND ACCESSORIES.....

TORCHES AND KNIVES 42




































TANKS ACCESSORIES FOR TANKS

Code	Liquid capacity	Air ca	pacity	Minutes under water	Working	pressure	Outside diameter	Height	Weight	Material
	litres	cubic feet	litres	standard**	Bar	PSI	mm / inches	mm / inch	kg / lbs	
710211	10	70,6	2000	32,0	200	2900	171 / 6,7	575 / 22,6	10,2 / 22,4	CrMo
712212	12	84,8	2400	38,4	200	2900	171 / 6,7	670 / 26,4	12,1 / 26,8	CrMo
712202	12	84,8	2400	38,4	200	2900	203 / 8,0	505 / 19,9	13,6 / 29,9	CrMo
715202	15	105,9	3000	48,0	200	2900	203 / 8,0	610 / 24,0	16,2 / 35,6	CrMo
718202	18	127,1	3600	57,6	200	2900	203 / 8,0	715 / 28,1	18,7 / 41,1	CrMo
707312	7	57,4	1624	26,0	232	3360	140 / 5,5	590 / 23,2	9,3 / 20,5	CrMo
710235	10	81,9	2320	37,1	232	3360	171 / 6,7	590 / 23,2	12,3 / 27,0	CrMo
712235	12	98,3	2784	44,5	232	3360	171 / 6,7	690 / 27,2	14,2 / 32,0	CrMo
712237	12	98,3	2784	44,5	232	3360	203 / 8,0	505 / 19,9	15,9 / 35,0	CrMo
715233	15	122,9	3480	55,7	232	3360	203 / 8,0	620 / 24,4	18,4 / 40,5	CrMo
718204	18	147,5	4176	66,8	232	3360	203 / 8,0	740 / 29,4	21,1 / 46,4	CrMo
720010	20	163,9	4640	74,2	232	3360	203 / 8,0	800 / 31,5	22,6 / 49,7	CrMo
705213	5	40,2	1160	17,2	232	3360	140 / 5,5	450 / 17,6	6 / 13	CrMo
707314	7	74,2	2100	33,6	300	4350	140 / 5,5	590 / 23,2	10,3 / 22,7	CrMo
710311	10	105,9	3000	48,0	300	4350	171 / 6,7	600 / 23,6	15,7 / 34,5	CrMo
720057	5,8 (S40)	41,7	1179,9	18,9	207	3000	133 / 5,3	630 / 24,8	6,9 / 15,2	Al 6061
720111	11,1 (S80)	81,1	2297,7	36,8	207	3000	184 / 7,3	660 / 26,0	14,3 / 31,5	Al 6061
720043	4,3 (S30)	30	846	13,54	207	3000	133,3 / 5,3	510 / 20,2	6,1 / 13,4	Al 6061
720211	11,1 (S80) *	80	2256	36,10	207	3000	184,2 / 7,3	658 / 26,1	14,2 / 31,1	Al 6061
720260	0,9 (S6) *	6	169,2	2,71	207	3000	81,5 / 3,2	274 / 10,9	1,2 / 2,6	Al 6061
720261	1,9 (S13) *	13	366,6	5,87	207	3000	111,3 / 4,4	324 / 12,9	2,6 / 5,7	Al 6061
720227	2,7 (S19) *	19	535,8	8,57	207	3000	111,3 / 4,4	450 / 17,9	3,5 / 7,7	Al 6061
720243	4,3 (S30) *	30	846	13,54	207	3000	133,3 / 5,3	510 / 20,2	6,1 / 13,4	Al 6061
720258	5,8 (S40) *	40	1128	18,05	207	3000	133,4 / 5,3	640 / 25,4	7,4 / 16,2	Al 6061
720213	13,2 (C100) *	100	2820	45,12	228	3300	203,2 / 8,1	673 / 26,7	18,8 / 41,2	Al 6061
720267	8,2 (S63) *	63	1697	26	207	3000	184,2 / 7,25	551,2 / 21,7	12,02 / 26,6	Al 6061
720212	11,1 (C80) *	80	2530,8	41	228	3300	184,2 / 7,25	638 / 25,1	15,65 / 34,5	Al 6061

^{*} available only with thread in ¾ npsm ** standard is 62.51/minute, that is 25.b

Diving tanks made of chromium molybdenum steel and aluminium to 200, 232 and 300bars working pressure. Possibility to connect with compact valves featuring swivel DIN/INT ports both on main port and on second port. Steel tanks are available in 5, 7, 10, 12, 15, 18 and newly 20 litres!. Alu tanks are available in sizes from 0.9 ltr up to 13.2 ltr with working pressure of 207bar and 228bar. All tanks in CrMo come with a tank boot.



760300 171 mm / 6,7" 760320 140 mm / 5,5"

MONO TANK BOOT

760310 203 mm / 8"





^{**} standard is 62,51/minute, that is 25 breaths of 2,51itres each. Of course it depends on many factors such as the depth, the experience of the diver and others

VALVES NEOPRENE SUITS 7mm














734232	2 ports	232 bar	M25x2	INT/DIN
737300	2 ports	300 bar	M25x2	INT/DIN
735233	2 ports	232 bar	3/4npsm	INT/DIN
WALL	E II			

VALVE H



736300	1 port	300 bar	M25x2
MARK			
VALV			















NEOPRENE SUITS 5/7MM







SHORTIES





		THE SIZES	OF OUR SU	J11 S			
MAN							
sizes	2 / S	3 / M	4 / L	5 / L-XL	6 / XL	7 / XXL	8 / XXXL
Full height cm	165-170	170-175	175-179	179-183	182-186	186-189	188-193
Weight kgs	56-60	61-70	70-79	78-85	85-90	90-95	95-100
LADIES							
sizes	2 / S	3 / M	4 / L	5 / L-XL	6 / XL	7 / XXL	
Full height cm	155-163	163-170	170-175	175-179	179-183	182-186	
Weight kgs	49-52	52-56	56-69	69-78	78-85	85-90	
*please note the info in this table is	only for roug	gh reference					

NEOPRENE SUITS - 2 / 3 mm







Comparis	on of sizes
US	
5	36
6	37/38
7	39
8	40/41
9	42
10	43/44
11	45
12	46
13	47





12

NEOPRENE ACCESSORIES



Our rash guards offer great body protection and are ideal for using individually or underneath your suit. Thanks to its thermal and UV protection they are recommended for any other water sports.



120000/S-XXL 3 mm size: S-XXL nylon colour

Suitable under your diving suit.

UNDERVEST

RASH GUARD - 0,5mm **NEOSPAN AND** METALITE INSIDE SOPRAS

13810/1-4 size: S - XL metalite lycra + neospan 1 piece

Neoprene rash guard for higher heat retention, ideal for all wa-



162200 single torch 162201 double torch **NEOPRENE HOOD**



14955/1-4 2 mm size: S, M, L **SWIMMING GLOVES**



162202 for torches with up to 2,5 cm diameter 162203 for torches with up to 3,5 cm dia 162204 for torches with up to 6,5 cm diameter **GOODMAN'S GLOV**

Goodman torch holder in 3 different sizes.



Very stretchy gloves with anti abrasion neoprene.

GLOVES

240112 hard strap

HARNESS DIR ON PLASTIC BACK PLATE

The cylinder strap is not included



HARNESSES/BLADDERS

MADE to MEASURE

f you wish to make changes, add D ings or any other kind of equipment to let us know. We will follow your instructions and the harness will be made to measure" for you.

TEKNO DONUT 16L



Donut bladder with 14l or 16l buoyancy and one additional overpressure valve in the front low. Possible to combine with stainless steel, aluminium and plastic back plate





You can roll it and unroll it. Designed for attaching to 50 mm / 2" webbing.

UTILITY POUCH

SCROLLING

901403 25 x 15 x 6 cm / 10 x 6 x 2,4" THIGH STORAGE POUCH

Double straps around your thigh and hanging on your waist belt



230110 26 x 15 cm / 10 x 6"

UTILITY POUCH

Designed for attaching to 50 mm / 2" webbing with a large zipper pocket

901201





With 1 strap for tanks and adjustable shoulder straps.



High volume single bladder made of Cordura 1000. Padded hard back pack. Cummerbund adjustable in 3 positions • 8 stainless steel AISI 316 rings for equipment fitting • Inflator with integrated valve • Overpressure / dump valves placed on shoulder and lower rear • Small zip-pocket in cummerband. Two weight dump pockets of maximum 5kg / 22lb each. Lifting capacity: 22 kg / 48 lb.

Model	External material	Inner material	Padded Back plate	Size BUOYANCY (kg/lb)	Valves	Integrated weight system	Pockets	D Rings material
Silver 3000	Cordura 1000	Cordura 1000	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3	2	2	8 stainless steel
Silver 4000	Cordura 1000	Cordura 1000	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3	2	2	8 stainless steel
Speleo 1500	Cordura 1000	Cordura 1000	YES	S-M/22/48 M-L/22/48 L-XL22/48	3	2	2	8 stainless steel
PX 500	Nylon 420	Nylon 420	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3		2	4 plastic
Dive Center	Nylon 420	Nylon 420	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3		2	4 plastic
Dive Center BCD deluxe	Nylon 420	Nylon 420	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3		2	4 aluminium
Explorer	Nylon 420	Nylon 420	YES	XS/10/22 S/10/22	3		2	4 plastic

900340 for 171 mm tanks 900341 for 203mm tanks

BELT FOR TANKS WITH STAINLESS STEEL OUICK RELEASE CAM BUCKLE











STAINLESS STEEL

QUICK RELEASE





900330





CYLINDER STRAPS WEIGHT POCKETS

each buckle pocket 4kg (8kgs in total)

SILVER 3000

Silver 3000 is totally made of Cordura 1000 and is equipped with dump weight pockets for 4 kgs (size S) or 5kgs (M to XL) - 9/11lb each. Weight pockets are also positioned at the back of the BCD. Two cylinders straps guarantee maximum safety. Huge pockets on the sides and small zipper pocket on the





for Silver 3000

DUMP POCKET

20520/1-4 size: S/11,5 kg / 25 lb; M / 14,5 kg / 25 lb; L, XL / 19,9 kg / 25 lb cordura 1000 colour **SILVER 4000**

> Silver 4000 is made entirely of Cordura 1000 and is equipped with comfortable dump weight pockets for 4 kg each to be released after opening a buckle. Side pockets are spacious and easy to reach with a slot for positioning an octopus regulator. Small zipper pocket on the waistband.









BCDS



SPARE PARTS FOR JACKETS

















901010/1-32 **PARTS FOR 340**



PARTS FOR 460

FINS

FINS





20









MASKS MASKS







31851B 2-glasses silicone transparent colour















FRAMELESS MASKS

FRAMELESS MASKS























ILDREN EQUIPMENT

CHILDREN EQUIPMENT





SNORKELS





46610/B, K valve silicone no drops system



46750R, B valve silicone no drops system

TORNADO

Black silicone.

MORBIDO CLEAR

With transparent silicone.







With quick release.


SNORKELS

REGULATORS

1. STAGE JUPITER NEW



Very compact balanced diaphragm first stage. Simple, strong, reliable. Excellent performance with extremely low weight and dimensions.






















602310	Genius New/Venus New DIN
602311	Genius New/Venus New INT
602312	Jupiter New/Venus New DIN
602313	Jupiter New/Venus New INT

ALL COMBINATIONS OF STAGES ABOVE ARE CE CERTIFIED







MIDDLE PRESSURE GAUGE STRAIGHT SCREWING

Easy adjustment of second stage. Pressure - 10 bar / 170PSI. With straight or esagonal screwing.



MIDDLE PRESSURE
GAUGE ESAGONAL SCREWING



852010 35 x 20 cm / 14 x 8" REGULATOR BAG DELUXE



852000 40 x 25 x 10 cm / 16 x 10 x 4" **REGULATOR BAG**





 $\frac{34}{35}$

ACCESSORIES FOR REGULATORS

AM3920

EXTRA AIR SOURCE

Extra Air Source 1st Stage, 3/4" - 14 thread, Tank valve with integrated 1st stage



am3922 - YOKE QD filler



am3921 - Station QD filler





You can couple it with a S6 or S13 aluminium tank and the set includes the extra air source valve/1st stage, a pony gauge a swivel port and an octopus second stage with 90cm yellow hose with a regulator necklace.



806003 **ADAPTER**

Adapter single male 9/16-18 to double female 3/8-24



806101 90° CONNECTION

For 2nd stage



ADAPTER INT/DIN







806002 **ADAPTER**

Adapter male 9/16 to female BC standard.



806102 110° CONNECTION

For 2nd stage



360° REGULATOR **SWIVEL**



SWIVEL ATTACHMENT **TO 2nd STAGE**



806104 **360 SWIVEL FOR HP HOSE**



360° 1ST STAGE LP **PORT ADAPTER**



654010 **ADAPTER DIN/INT**







900402: 15 cm / 6" 900403: 20 cm / 8" 900404: 60 cm / 23,5" 900400: 80 cm / 31,5" **HP HOSE**



BC HOSE



900409: 55 cm / 22" 900410: 72 cm / 28" 900411: 92 cm / 37" 900412: 100 cm / 40" 900413: 210 cm / 84" 900450: 150 cm / 60" **REGULATOR HOSE**



900432: 150 cm / 59" 900434: 200 cm / 79"

900419: 72 cm / 28" 900420: 92 cm / 36" 900430: 100 cm / 39"

OCTOPUS HOSE



900529: 60 cm / 25" 900530: 70 cm / 28" 900527: 60 cm / 25" 90053W: 70 cm / 28" colour

BC HOSE BRAIDED



900541: 70 cm / 28" colour 900540: 90 cm / 36" 900547: 100 cm / 25" colour 900542: 150 cm / 60" 900543: 210 cm / 82" 900548: 70 cm/ 28" colour 900549: 70 cm/ 28" colour **REGULATOR HOSE BRAIDED**



900545: 95 cm / 38" 900544: 80 cm / 32" **OCTOPUS BRAIDED HOSE**



900406: 70 cm / 28" **HP HOSE BRAIDED**



900560: 70 cm / 28"

EXTRA SOFT REGULATOR HOSE



O RINGS

39 various sizes. More info upon request.



SMALL ALU TANK FOR O/RINGS















EXTRA STRONG OCTOPUS HOS





ACCESSORIES

806670 silicone transparent

CHILDREN MOUTHPIECE

806600 silicone transparent

SILICONE MOUTHPIECE

806610 silicone colour SILICONE MOUTHPIECE

806620 silicone transparent

SILICONE

MOUTHPIECE LONG

80630 silicone colour

SILICONE

MOUTHPIECE LONG

8066/G, R, B, Y silicone colour COMFORT DUAL SILICONE MOUTH PIECE




TOOLS FOR REGULATOR MAINTENACE







MOULDABLE MOUTHPIECE





MOULDABLE MOUTHPIECE 806650 transparent

BC HOSES
QUICK RELEASE





PRESSURE GAUGES

Shock resistant pressure gauges, complying with the CE directive, designed to absorb violent shocks. Nickeled brass case and bourdon spiral spring 414 BAR resistant (6.000 P.S.I.). Luminous dial. Accuracy + or - 1,5%. Kevlar and rubber H.P. HOSE 80cm long in conformity with DEMA 105 (USA) specification. 7/16" Fittings. Working pressure 276 BAR (4.000 P.S.I.); test pressure 345 BAR (5.000 P.S.I.); bursting pressure higher than 1.300 BAR (18.850 P.S.I.). Safety coefficient 5:1. All manometers are available in PSI and in BARS and all depth meters are available in meters as well as in feet.



501200	400 bar	diam. 45 mm / 1,8"
501201	5000PSI	diam. 45 mm / 1,8"

Small pressure gauge in bar or PSI.



501300	300 bar	diam. 52 mm / 2,1"
501301	5000PSI	diam. 52 mm / 2,1"
		TEV

With tempered glass in bar or PSI.



501400	300 bar	diam. 60 mm / 2,4"
501401	5000PSI	diam. 60 mm / 2,4"
	STA	NDARD

Pressure gauge in bar or PSI.

	501410	300 bar	diam. 60 mm / 2,4"			
	501411	5000PSI	diam. 60 mm / 2,4"			
S	TAND	ARD T	HERMO			

Pressure gauge with thermometer in bar or PSI.

502100 400 bar diam. 45 mm / 1,8" 502101 5000PSI diam. 45 mm / 1,8" MINI OXYGEN/NITROX

Small pressure gauge for NITROX in bar or PSI.





Dial for depth gauge in feet.



DEPTH GAUGES

Professional depth gauges, with beryl membrane. Available in simple or double scale luminescent dials for better reading during dive or decompression. Accuracy + or - 1.5% - maximum depth indicator. Some of the models have the zero adjustment to compensate temperature and ambient pressure.



CONSOLES



Small pressure gauge in bar or PSI and compass.



201111	531300	400 bar	70 m
30 E	531301	5000PSI	200 feet
50 40		CON	IBO :
			MIN
			M

Small pressure gauge in bar or PSI and depth gauge in meters or feet.



535100	400 bar	70 m
535101	5000 PSI	200 feet
CON	IBO 3	MINI

Small pressure gauge in bar or PSI, compass at the back and depth gauge in meters or feet.



531400	300 bar	80 m
531401	5000 PSI	230 feet
	CON	IBO 2

Pressure gauge in bar or PSI, and depth gauge in meters or feet.

	531410	300 bar	80 m
	531411	5000 PSI	230 feet
C	DMBO	2 TH	ERMO

Pressure gauge in bar or PSI, thermometer and depth gauge in meters or feet.



535300	300 bar
535301	5000 PSI
001	

COMBO 2 COMPASS

Pressure gauge in bar or PSI and compass.

4	111		
	50	150 200	
	Sorre	250	
3	S. Bas	1	

	535310	300 bar
	535311	5000 PSI
	CON	IBO 2
COMPAS	S TH	ERMO

Pressure gauge in bar or PSI, thermometer and compass.

535210 300 bar 80 m 535211 5000 PSI 230 feet COMBO 3 THERMO

535200 300 bar 80 m 535201 5000 PSI 230 feet

COMBO 3

compass at the back and

Pressure gauge in bar or PSI,

depth gauge in meters or feet.

Pressure gauge in bar or PSI, compass at the back, thermometer and depth gauge in meters or feet.



531100	300 bar	80 m
531101	5000 PSI	230 feet
CO	MBO	2 TEK

Pressure gauge TEK in bar or PSI and depth gauge in meters or feet.

COMPASSES - WATCHES

522300

COMPASS WITH HOLSTER

To be added to Combo 2 Tek.









522100 diam. 65 mm/2,6"

STANDARD

COMPASS

Standard wrist compass.



522200 diam. 55 mm/2,2"

COMPASS
MINI

Small wrist compass.



DIVING WATCH

Stainless steel case.
Japanese movement.
200 m / 650 ft waterproof.



WATCH PROTECTOR

With lens.



TANK PRESSURE EQUALIZER WITH PRESSURE GAUGE



TANK TESTER



SHARK M

with hammer on the handle



806980 210 x 42 mm 700 lumens **EK 700**

Material: Aluminium Alloy / Surface: Anodized Switch Mode: Twist On Type The torch is opened from the back turning the end cap. The rubber ring around the torch head protects the head from damaging. Bulb Type: CREE single-chip LEDBrightness: 700 or 900 lumens

Beam Angle: 10° / Battery: 3 x C Alkaline Battery Run Time: apprx. 3 hours (EK 900) and 4 hours for EK 700 Depth Rating: 100m/300ft / Size: 210 x 42mm



STROBE FLASH LIGHT

Strobe flash light with torch.



Cable for connecting to external power supply, makes the torch usable as speleo lamp. Suitable for Alu Lite 6.



806965 with CR123 battery 20 x 160 mm / 0,8 x 6,3" 806985 with 2AA batteries 20 x 160 mm / 0,8 x 6,3" **SIGNALLING STICK**

Handy signalling unit with brilliant colour options for night dives, especially on surface. Burn time: 2 hours. Fine thread and twin o-rings makes the Signal Stick waterproof to 100 m. Lanyard included.



806979 128 x 44 mm 160 lumens **EK 160**

LED backup torch push-button style Battery: 3 x AAA Surface: aluminium Anodized Colour: titanium Burn Time: 8 HRS Turn on and off with the back button.





806971 15 x 120 mm / 0,6 x 4,7" CONSTANT 806972 15 x 120 mm / 0,6 x 4,7" FLASHING

SMALL SIGNALLING STICK



1x Superbright LED Battery: 3x LR44 Autonomy: 50 hours Depth test: 100m



CHEMICAL LIGHT STICKER

806947 diam. 35 mm / 1,38" **LAMP HOLDER GOODMAN**



WRIST MOUNTED LAMP HOLDER







L manner





571300 15 cm / 6" stainless steel colour **DIVER'S UNIVERSAL KNIFE NEW**

High quality and professional design. 420 Stainless steel. Serrations and line cutter. 2 in 1 knife plus scissors function.



The length refers to the blade





Easy and safe closing in the knife holster. with hammer on the handle



KNIVES



((()





















KEIKACIUH
WITH STOP

805000 50 m / 165 ft

PLASTIC REEL WITH AUTO STOP

am6051	90 cm / 36
RETE	RACTO



SOPRAS



852535 35 x 40cm / 14" x 16" **DIVE FLAG**









WEIGHTS AND BELTS
ACCESSORIES





804210 S 804230 L
804220 M 804240 XL

DIVING BELT WITH

POCKET FOR WEIGHTS



PLASTIC BUCKLE



WEIGHT POCKET FOR TANK STRAP

Weight pocket to be attached to the tanks straps (maximum weight 4kg each)

DIN REGULATOR DUST CAP

DUST CAP FOR VALVES





DUST CAP FOR VALVES

In aluminium



FILLING FOR SOPRASSUB DIVE LOG



HOSE WRAP

Available in yellow and blue.

805600

TANK

BANGER





852122 95 ci

806000

WHISTLE

SLATE



UNDERWATER

852121

JONLINE

HOOK FOR JONLINE





HOSE PROTECTOR

SILICONE GREASE 60g



SHAKER

With magnet inside.

807150 length 35 cm
UNDERWATER STICK

Good for pointing or for anchoring in strong currents.













803004 WEBBING **AND BUCKLE code 04**





SPIRAL SPRING CLIP WITH LOOP CORD

WEBBING





PLASTIC CLIP

LINK FEMALE





AND BUCKLE code 07







80400/K,Y,R colour

NYLON WEIGHT

KEEPER

SPRING

FOR SUITS







80680/K, B, Y colour

















852410	80 1 / 176 lb
852415	60 1 / 132 lb
852420	40 1 / 88 lb
852425	20 1 / 44 lb

WATERPROOF BAG











852455 **WATERPROOF LADY HAND BAG**



806310 46 x 34 x 20 cm / 18 x 13 x 8" colour







colour **DRY BOX MEDIUM**

851150 420 denier 63 x 49 cm / 25 x 20"

PU 501 colour

MESH BAG FOR

JACKETS AND SUITS

851400 420 denier 80 x 40 cm / 31 x 16" PU 601 colour **MESH GEAR BAG**

BAGS

BAGS



852110 11 x 8 cm / 4 x 3" **BAG FOR COMPASSES**

COMPUTER AND

GAUGES BAG

851800



SOPRAS

852100 10 x 8 cm / 4 x 3" **BAG FOR** WATCHES



851900 30 x 16,5 x 11,5 cm / 11 x 6,5 x 4,5" **BAG FOR CONSOLES**



851502 55 x 70 x 30 cm / 22x28x12" PVC 600 D 110 1 / 240 lb

SOPRAS DIVING TROLLEY



Our new trolley includes a detachable back pack in the front and two big bags for fins on the sides. On the bottom there is a handle for easy carrying that ensures also perfect stability when standing vertical on wheels. One side handle makes it much easier to carry it. Light weight - 3,5kg only.





SOPRAS

CY1100 840 D 43 x 33 cm / 18 x 12" colour

CYCLING BACKPACK



20 litres volume cycling backpack with fluo rain cover, waist strap, earphones predisposition, thick polstering on the back and padded shoulder straps, many zipper pockets and equipment compartments.



BACK PACE

FOLDABLE MESH

BRIEF CASE

Multi function with in-

side pocket, shoulder

strap and handle.

840 D 38 x 15 x 12 cm / 18 x 25" PVC Dobby Nylon colour

851000 840 D 43 x 33 cm / 18 x 12" PVC colour

851200 420 denier 43 x 64 cm / 18 x 25" PU colour

Zipper: #8 Chuncky zipper Buckles: plastic Buckles.

WAIST BAG



CY1200 30 x 50 x 20 cm / 12 x 20 x 8" nylon 210D colour





Extra light expandable cycling backpack, includes a fluo waterproof cover.

