

return to water































TANKS ACCESSORIES FOR TANKS

Code	Liquid capacity	Air ca	pacity	Minutes under water	Working	pressure	Outside diameter	Height	Weight	Material
	litres	cubic feet	litres	standard**	Bar	PSI	mm / inches	mm / inch	kg / lbs	
710211	10	70,6	2000	32,0	200	2900	171 / 6,7	575 / 22,6	10,2 / 22,4	CrMo
712212	12	84,8	2400	38,4	200	2900	171 / 6,7	670 / 26,4	12,1 / 26,8	CrMo
712202	12	84,8	2400	38,4	200	2900	203 / 8,0	505 / 19,9	13,6 / 29,9	CrMo
715202	15	105,9	3000	48,0	200	2900	203 / 8,0	610 / 24,0	16,2 / 35,6	CrMo
718202	18	127,1	3600	57,6	200	2900	203 / 8,0	715 / 28,1	18,7 / 41,1	CrMo
707312	7	57,4	1624	26,0	232	3360	140 / 5,5	590 / 23,2	9,3 / 20,5	CrMo
710235	10	81,9	2320	37,1	232	3360	171 / 6,7	590 / 23,2	12,3 / 27,0	CrMo
712235	12	98,3	2784	44,5	232	3360	171 / 6,7	690 / 27,2	14,2 / 32,0	CrMo
712237	12	98,3	2784	44,5	232	3360	203 / 8,0	505 / 19,9	15,9 / 35,0	CrMo
715233	15	122,9	3480	55,7	232	3360	203 / 8,0	620 / 24,4	18,4 / 40,5	CrMo
718204	18	147,5	4176	66,8	232	3360	203 / 8,0	740 / 29,4	21,1 / 46,4	CrMo
720010	20	163,9	4640	74,2	232	3360	203 / 8,0	800 / 31,5	22,6 / 49,7	CrMo
705213	5	40,2	1160	17,2	232	3360	140 / 5,5	450 / 17,6	6 / 13	CrMo
707314	7	74,2	2100	33,6	300	4350	140 / 5,5	590 / 23,2	10,3 / 22,7	CrMo
710311	10	105,9	3000	48,0	300	4350	171 / 6,7	600 / 23,6	15,7 / 34,5	CrMo
720057	5,8 (S40)	41,7	1179,9	18,9	207	3000	133 / 5,3	630 / 24,8	6,9 / 15,2	Al 6061
720111	11,1 (S80)	81,1	2297,7	36,8	207	3000	184 / 7,3	660 / 26,0	14,3 / 31,5	Al 6061
720043	4,3 (S30)	30	846	13,54	207	3000	133,3 / 5,3	510 / 20,2	6,1 / 13,4	Al 6061
720211	11,1 (S80) *	80	2256	36,10	207	3000	184,2 / 7,3	658 / 26,1	14,2 / 31,1	Al 6061
720260	0,9 (S6) *	6	169,2	2,71	207	3000	81,5 / 3,2	274 / 10,9	1,2 / 2,6	Al 6061
720261	1,9 (S13) *	13	366,6	5,87	207	3000	111,3 / 4,4	324 / 12,9	2,6 / 5,7	Al 6061
720227	2,7 (S19) *	19	535,8	8,57	207	3000	111,3 / 4,4	450 / 17,9	3,5 / 7,7	Al 6061
720243	4,3 (S30) *	30	846	13,54	207	3000	133,3 / 5,3	510 / 20,2	6,1 / 13,4	Al 6061
720258	5,8 (S40) *	40	1128	18,05	207	3000	133,4 / 5,3	640 / 25,4	7,4 / 16,2	Al 6061
720213	13,2 (C100) *	100	2820	45,12	228	3300	203,2 / 8,1	673 / 26,7	18,8 / 41,2	Al 6061
720267	8,2 (S63) *	63	1697	26	207	3000	184,2 / 7,25	551,2 / 21,7	12,02 / 26,6	Al 6061
720212	11,1 (C80) *	80	2530,8	41	228	3300	184,2 / 7,25	638 / 25,1	15,65 / 34,5	Al 6061

^{*} available only with thread in ¾ npsm

Diving tanks made of chromium molybdenum steel and aluminium to 200, 232 and 300bars working pressure. Possibility to connect with compact valves featuring swivel DIN/INT ports both on main port and on second port. Steel tanks are available in 5, 7, 10, 12, 15, 18 and newly 20 litres!. Alu tanks are available in sizes from 0.9 ltr up to 13.2 ltr with working pressure of 207bar and 228bar. All tanks in CrMo come with a tank boot.



760300 171 mm / 6,7" 760320 140 mm / 5,5"

760310 203 mm / 8"

MONO TANK BOOT





^{**} standard is 62,51/minute, that is 25 breaths of 2,51itres each. Of course it depends on many factors such as the depth, the experience of the diver and others

VALVES NEOPRENE SUITS 7mm












	E UNI					
	734232	2 ports	232 bar	M25x2	INT/DIN	
ľ	737300	2 ports	300 bar	M25x2	INT/DIN	
	735233	2 ports	232 bar	3/4npsm	INT/DIN	

101000	2 ports	000 541		11(1/1011)	
735233	2 ports	232 bar	3/4npsm	INT/DIN	
VALV	E H				6
				IL.	
				20	3

				9	
736300	1 port	300 bar	M25x2	DIN	
VALV					















103330 7 mm size: 2, 3, 4, 5, 6, 7, 8 thermoplush

103331 7 mm size: 2, 3, 4, 5, 6 thermoplush nylon + supratex 1 piece colour **ISLANDA LADY**



In scuba diving our Whale skinsuits can be used both as a garment under your dry or even neoprene suit as well as a standalone protective suit equivalent to a 5 mm neoprene suit with the advantage of being neutrally buoyant and extremely fast in drying thanks to the water repellent outer layer. Furthermore, thanks to its flexibility and elasticity our skinsuits will not at all constrain your movements and therefore will make your dive much more comfortable.

NEOPRENE SUITS 5/7MM



105300 7 mm size: 2, 3, 4, 5, 6 thermoplush nylon + supratex 2 pieces colour FREDDO EXTREME LADY EXTRASTRETCH





SHORTIES





	THE SIZES OF OUR SUITS							
MAN								
sizes	2 / S	3 / M	4 / L	5 / L-XL	6 / XL	7 / XXL	8 / XXXL	
Full height cm	165-170	170-175	175-179	179-183	182-186	186-189	188-193	
Weight kgs	56-60	61-70	70-79	78-85	85-90	90-95	95-100	
LADIES								
sizes	2 / S	3 / M	4 / L	5 / L-XL	6 / XL	7 / XXL		
Full height cm	155-163	163-170	170-175	175-179	179-183	182-186		
Weight kgs	49-52	52-56	56-69	69-78	78-85	85-90		
*please note the info in this table is	please note the info in this table is only for rough reference							

NEOPRENE SUITS - 2 / 3 mm







Comparis	on of sizes
US	Europe
5	36
6	37/38
7	39
8	40/41
9	42
10	43/44
11	45
12	46
13	47



















16200/1-4 5 mm size: S, M, L, XL nylon thermoplush colour







With anti slip grip and velcro closures.







12

NEOPRENE ACCESSORIES



Our rash guards offer great body protection and are ideal for using individually or underneath your suit. Thanks to its thermal and UV protection they are recommended for any other water sports.



120000/S-XXL 3 mm size: S-XXL nylon colour

Suitable under your diving suit.

UNDERVEST

size: S - XL metalite lycra + neospan 1 piece 13810/1-4 RASH GUARD - 0,5mm **NEOSPAN AND** METALITE INSIDE SOPRAS

Neoprene rash guard for higher heat retention, ideal for all wa-



162200 single torch 162201 double torch **NEOPRENE HOOD**



14955/1-4 2 mm size: S, M, L **SWIMMING GLOVES**



162202 for torches with up to 2,5 cm diameter 162203 for torches with up to 3,5 cm diar 162204 for torches with up to 6,5 cm diameter GOODMAN'S GLOV

Goodman torch holder in 3 different sizes.



GLOVES SUPERSTRETCH

Very stretchy gloves with anti abrasion neoprene.

240112 hard strap

HARNESS DIR ON PLASTIC BACK PLATE

The cylinder strap is not included

TEKNO DONUT 14L



HARNESSES/BLADDERS

MADE to MEASURE

f you wish to make changes, add D ings or any other kind of equipment to let us know. We will follow your instructions and the harness will be "made to measure" for you.

TEKNO DONUT 16L



Donut bladder with 14l or 16l buoyancy and one additional overpressure valve in the front low. Possible to combine with stainless steel, aluminium and plastic back plate



You can roll it and unroll it. Designed for attaching to 50 mm / 2" webbing.

901403 25 x 15 x 6 cm / 10 x 6 x 2,4" THIGH STORAGE POUCH

Double straps around your thigh and hanging on your waist belt



230110 26 x 15 cm / 10 x 6" **UTILITY POUCH**

Designed for attaching to 50 mm / 2" webbing

with a large zipper pocket

901201 **PLASTIC BACKPLATE**



With 1 strap for tanks and adjustable shoulder straps.





High volume single bladder made of Cordura 1000. Padded hard back pack. Cummerbund adjustable in 3 positions • 8 stainless steel AISI 316 rings for equipment fitting • Inflator with integrated valve • Overpressure / dump valves placed on shoulder and lower rear • Small zip-pocket in cummerband. Two weight dump pockets of maximum 5kg / 22lb each. Lifting capacity: 22 kg / 48 lb.

Model	External material	Inner material	Padded Back plate	Size BUOYANCY (kg/lb)	Valves	Integrated weight system	Pockets	D Rings material
Silver 3000	Cordura 1000	Cordura 1000	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3	2	2	8 stainless steel
Silver 4000	Cordura 1000	Cordura 1000	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3	2	2	8 stainless steel
Speleo 1500	Cordura 1000	Cordura 1000	YES	S-M/22/48 M-L/22/48 L-XL22/48	3	2	2	8 stainless steel
PX 500	Nylon 420	Nylon 420	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3		2	4 plastic
Dive Center	Nylon 420	Nylon 420	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3		2	4 plastic
Dive Center BCD deluxe	Nylon 420	Nylon 420	YES	S/11,5/25 M/14,5/32 L/19,9/44 XL/19,9/44	3		2	4 aluminium
Explorer	Nylon 420	Nylon 420	YES	XS/10/22 S/10/22	3		2	4 plastic

900340 for 171 mm tanks 900341 for 203mm tanks

BELT FOR TANKS WITH STAINLESS STEEL OUICK RELEASE CAM BUCKLE











STAINLESS STEE

QUICK RELEASI

CAM BUCKLE

900330



on the inflator hose

CYLINDER STRAPS WEIGHT POCKETS

each buckle pocket 4kg (8kgs in total)

20510/1-4 size: S/11,5 kg / 25 lb; M / 14,5 kg / 25 lb; L , XL / 19,9 kg / 25 lb cordura 1000 **SILVER 3000**

Silver 3000 is totally made of Cordura 1000 and is equipped with dump weight pockets for 4 kgs (size S) or 5kgs (M to XL) - 9/11lb each. Weight pockets are also positioned at the back of the BCD. Two cylinders straps guarantee maximum safety. Huge pockets on the sides and small zipper pocket on the





for Silver 3000

DUMP POCKET

20520/1-4 size: S/11,5 kg / 25 lb; M / 14,5 kg / 25 lb; L , XL / 19,9 kg / 25 lb cordura 1000 colour **SILVER 4000**

> Silver 4000 is made entirely of Cordura 1000 and is equipped with comfortable dump weight pockets for 4 kg each to be released after opening a buckle. Side pockets are spacious and easy to reach with a slot for positioning an octopus regulator. Small zipper pocket on the waistband.











901010/1-32 **PARTS FOR 340**

BCDS



BCD especially designed for dive centers with very spacious pockets in very well visible yellow colour with a slot for positioning your octopus regulator. The single bladder is available from with 15 up to 20litres of volume and is in Nylon 420 fabric. The size of the BCD is easily recognizable being positioned on the left shoulder. The standard version is with plastic rings but the deluxe version is available as well with black aluminium rings!

DIVE CENTER DELUXE



SPARE PARTS FOR JACKETS







900300 50 mm - plastic

CAM BUCKLE





PARTS FOR 460

FINS





20









MASKS MASKS







31851B 2-glasses silicone transparent colour

LUCIDA













FRAMELESS MASKS

FRAMELESS MASKS

























CHILDREN EQUIPMENT





SNORKELS



CICLONE











46750R, B valve silicone no drops system

colour

TORNADO

Black silicone.













45300/B, K, Y valve silicone colour

VESUVIO

SNORKELS








REGULATORS

60221/0-1 2 HP 4 LP INT/DIN membrane 1. STAGE JUPITER NEW



Very compact balanced diaphragm first stage. Simple, strong, reliable. Excellent performance with extremely low weight and dimensions.













2. STAGE VENUS NEW











602310	Genius New/Venus New DIN
602311	Genius New/Venus New INT
602312	Jupiter New/Venus New DIN
602313	Jupiter New/Venus New INT

ALL COMBINATIONS OF STAGES ABOVE ARE CE CERTIFIED



620030 **OCTOPUS IV** Including yellow hose of 90 cm / 35". SOPRAS



MIDDLE PRESSURE GAUGE STRAIGHT **SCREWING** Easy adjustment of second stage.

Pressure - 10 bar / 170PSI. With straight or esagonal screwing.



MIDDLE PRESSURE GAUGE ESAGONAL SCREWING



852010 35 x 20 cm / 14 x 8" **REGULATOR BAG DELUXE**



852000 40 x 25 x 10 cm / 16 x 10 x 4" **REGULATOR BAG**





ACCESSORIES FOR REGULATORS

AM3920

EXTRA AIR SOURCE


Extra Air Source 1st Stage, 3/4" - 14 thread, Tank valve with integrated 1st stage



am3922 - YOKE QD filler



604578 **EXTRA AIR SOURCE SET**



You can couple it with a S6 or S13 aluminium tank and the set includes the extra air source valve/1st stage, a pony gauge a swivel port and an octopus second stage with 90cm yellow hose with a regulator necklace.



806003 **ADAPTER**

Adapter single male 9/16-18 to double female 3/8-24



806101 90° CONNECTION

For 2nd stage



ADAPTER INT/DIN





806002 **ADAPTER**

Adapter male 9/16 to female BC standard.



806102 110° CONNECTION

For 2nd stage



360° REGULATOR **SWIVEL**



SWIVEL ATTACHMENT **TO 2nd STAGE**



806104 **360 SWIVEL FOR HP HOSE**



360° 1ST STAGE LP **PORT ADAPTER**



654010 **ADAPTER DIN/INT**



654030 GENIUS / ZENITH 300 bars / 4350 PSI

300 BARS CONNECTION

1st stage





900402: 15 cm / 6" 900403: 20 cm / 8" 900404: 60 cm / 23,5" 900400: 80 cm / 31,5" **HP HOSE**

900499: 60cm / 25" | 900500: 74 cm / 29" | 900510: 80 cm / 31,5" | 900520: 90 cm / 35,5"

BC HOSE



900409: 55 cm / 22" 900410: 72 cm / 28" 900411: 92 cm / 37" 900412: 100 cm / 40" 900413: 210 cm / 84" 900450: 150 cm / 60" **REGULATOR HOSE**



900432: 150 cm / 59" 900434: 200 cm / 79"

OCTOPUS HOSE



900529: 60 cm / 25" 900530: 70 cm / 28" 900527: 60 cm / 25"

BC HOSE BRAIDED



REGULATOR HOSE BRAIDED



900545: 95 cm / 38" 900544: 80 cm / 32" OCTOPUS BRAIDED HOSE



900406: 70 cm / 28" **HP HOSE BRAIDED**



900560: 70 cm / 28"

EXTRA SOFT REGULATOR HOSE



ORINGS

39 various sizes. More info upon request.



SMALL ALU TANK FOR O/RINGS



HP SWIVEL















ACCESSORIES

806670 silicone transparent **CHILDREN MOUTHPIECE**

806600 silicone transparent **SILICONE MOUTHPIECE**

806610 silicone colour **SILICONE MOUTHPIECE**

806620 silicone transparent **SILICONE MOUTHPIECE LONG**

806630 silicone colour **SILICONE MOUTHPIECE LONG**

80666/G, R, B, Y silicone colour **COMFORT DUAL SILICONE** MOUTHPIECE










806651 colour **MOULDABLE MOUTHPIECE**





BC HOSES QUICK RELEASE



PRESSURE GAUGES

Shock resistant pressure gauges, complying with the CE directive, designed to absorb violent shocks. Nickeled brass case and bourdon spiral spring 414 BAR resistant (6.000 P.S.I.). Luminous dial. Accuracy + or - 1,5%. Kevlar and rubber H.P. HOSE 80cm long in conformity with DEMA 105 (USA) specification. 7/16" Fittings. Working pressure 276 BAR (4.000 P.S.I.); test pressure 345 BAR (5.000 P.S.I.); bursting pressure higher than 1.300 BAR (18.850 P.S.I.). Safety coefficient 5:1. All manometers are available in PSI and in BARS and all depth meters are available in meters as well as in feet.



Small pressure gauge in bar or PSI.



501300 300 bar diam. 52 mm / 2,1"

With tempered glass in bar or PSI.



501400 300 bar diam. 60 mm / 2,4" 501401 5000PSI diam. 60 mm / 2,4" **STANDARD**

Pressure gauge in bar or PSI.

	501410	300 bar	diam. 60 mm / 2,4"				
	501411	5000PSI	diam. 60 mm / 2,4"				
S	TAND	ARD T	HERMO				

Pressure gauge with thermometer in bar or PSI.

	502100	400 bar	diam. 45 mm / 1,8"	
	502101	5000PSI	diam. 45 mm / 1,8"	
MI	ALOXI	GEN/	NITROX	

Small pressure gauge for NITROX in bar or PSI.



501050 350 bar / 5000 psi PONY BOTTLE GAUGE



Dial for depth gauge in feet



DEPTH GAUGES

Professional depth gauges, with beryl membrane. Available in simple or double scale luminescent dials for better reading during dive or decompression. Accuracy + or - 1.5% - maximum depth indicator. Some of the models have the zero adjustment to compensate temperature and ambient pressure.



CONSOLES



Small pressure gauge in bar or PSI and compass.



A STATE OF THE PARTY OF THE PAR	531300	400 bar	70 m
	531301	5000PSI	200 feet
100		CON	IBO
			MIN

Small pressure gauge in bar or PSI and depth gauge in meters or feet.



535100	400 bar	70 m
535101	5000 PSI	200 feet
CON	IBO 3	MINI

535210 300 bar 80 m 535211 5000 PSI 230 feet

COMBO 3 THERMO

Pressure gauge in bar or PSI, compass at the back,

thermometer and depth gauge in meters or feet.

Small pressure gauge in bar or PSI, compass at the back and depth gauge in meters or feet.



531400	300 bar	80 m
531401	5000 PSI	230 feet
	CON	IBO 2

Pressure gauge in bar or PSI, and depth gauge in meters or feet.

	531410	300 bar	80 m
	531411	5000 PSI	230 feet
C	MRA	2 TH	FRMO

Pressure gauge in bar or PSI, thermometer and depth gauge in meters or feet.



535300	300 bar
535301	5000 PSI
005	

COMBO 2 **COMPASS**

Pressure gauge in bar or PSI and compass.

	535310	300 bar
	535311	5000 PSI
	CON	IBO 2
COMPAS	S TH	ERMO

Pressure gauge in bar or PSI, thermometer and compass.



531100	300 bar	80 m
531101	5000 PSI	230 feet
CO	MBO	2 TEK

Pressure gauge TEK in bar or PSI and depth gauge in meters or feet.

COMPASSES - WATCHES

COMPASS WITH HOLSTER

To be added to Combo 2 Tek.







522100 diam. 65 mm / 2,6" **STANDARD COMPASS**

Standard wrist compass.



522200 diam. 55 mm / 2,2" **COMPASS**

Small wrist compass.



DIVING WATCH

Stainless steel case. Japanese movement. 200 m / 650 ft waterproof.



WATCH PROTECTOR

With lens.



563000 = DIN 563001 = INT **TANK PRESSURE** EQUALIZER WITH PRESSURE GAUGE



562000 = DIN 562001 = INT





806980 210 x 42 mm 700 lumens **EK 700**

Material: Aluminium Alloy / Surface: Anodized Switch Mode: Twist On Type The torch is opened from the back turning the end cap. The rubber ring around the torch head protects the head from damaging. Bulb Type: CREE single-chip LEDBrightness: 700 or 900 lumens Beam Angle: 10° / Battery: 3 x C Alkaline Battery

Depth Rating: 100m/300ft / Size: 210 x 42mm



805910

STROBE FLASH LIGHT

Strobe flash light with torch.



CABLE

Cable for connecting to external power supply, makes the torch usable as speleo lamp. Suitable for Alu Lite 6.



806965	with CR123 battery	20 x 160 mm / 0,8 x 6,3"
806985	with 2AA batteries	20 x 160 mm / 0,8 x 6,3"
SIGN	ALLING ST	ICK

Handy signalling unit with brilliant colour options for night dives, especially on surface. Burn time: 2 hours. Fine thread and twin o-rings makes the Signal Stick waterproof to 100 m. Lanyard included.



806979 128 x 44 mm 160 lumens **EK 160** LED backup torch

push-button style Battery: 3 x AAA Surface: aluminium Anodized Colour: titanium Burn Time: 8 HRS Turn on and off with the back button.





806971 15 x 120 mm / 0,6 x 4,7" CONSTANT 806972 15 x 120 mm / 0,6 x 4,7" FLASHING

SMALL SIGNALLING STICK



1x Superbright LED Battery: 3x LR44 Autonomy: 50 hours Depth test: 100m



CHEMICAL LIGHT STICKER



WRIST MOUNTED LAMP HOLDER







with hammer on the handle



571300 15 cm / 6" stainless steel colour **DIVER'S UNIVERSAL KNIFE NEW**

High quality and professional design. 420 Stainless steel. Serrations and line cutter. 2 in 1 knife plus scissors function.



The length refers to the blade





MASTER KNIFE Easy and safe closing in the knife holster. With hammer on the handle



Easy and safe closing in the knife holster. with hammer on the handle



KNIVES



- en s





SOPRAS

SOPRAS

852510 40 x 45 cm / 17 x 19"

STANDARD BUOY

852541











RETRACTOR WITH STOP

90 cm / 36"
CTOR







80133/K, Y, B	colour:	
TRIPLE	AIR HO	DSE
HOLDER	WITE	CLIP
		-



am6051		T	
RET	R	ļ	









SOPRAS



STAINLESS STEEL SPOOLS







LIFTING BAG

143 x 23 cm / 58 x 9,5"

Available in orange and yellow.

852530 128 x 16 cm / 52 x 6,5"

Lifting bag - 30 kg / 66 lb 852611 Lifting bag - 50 kg / 110 lb 852621

Lifting bag - 100 kg / 220 lb with valve 852631 Lifting bag - 200 kg / 440 lb with valve 852640 Lifting bag - 500 kg / 1100 lb with valve 852650 Lifting bag - 500 kg / 1100 lb with double valve 852651

Lifting bag - 1000 kg / 2200 lb with valve 852660

DECO BUOY WITH VALVE

Lifting bag - 1000 kg / 2200 lb with double valve 852661 Lifting bag - 1500 kg / 3300 lb Extra Strong with valve 852670

Lifting bag - 1500 kg / 3300 lb Extra Strong with double valve 852671 Lifting bag - 2000 kg / 4400 lb Extra Strong with valve 852680 Lifting bag - 2000 kg / 4400 lb Extra Strong with double valve 852681 Lifting bag - 2500 kg / 5500 lb Extra Strong with double valve 852685 Lifting bag - 3000 kg / 6600 lb Extra Strong with double valve 852686

SURFACE SIGNALLER DECO BUOY

Lifting bag - 30 kg / 66 lb with valve (in nylon 240) 852610

Lifting bag - 50 kg / 110 lb with valve (in nylon 240) 852620 Lifting bag - 100 kg / 220 lb with valve (in nylon 240) 852630

> 852535 35 x 40cm / 14" x 16" **DIVE FLAG**





852540





WEIGHTS AND BELTS

ACCESSORIES





804210 S 804230 L
804220 M 804240 XL

DIVING BELT WITH

POCKET FOR WEIGHTS



PLASTIC BUCKLE



WEIGHT POCKET FOR TANK STRAP

> Weight pocket to be attached to the tanks straps (maximum weight 4kg each)

DIN REGULATOR DUST CAP

DUST CAP FOR VALVES



DIN REGULATOR
DUST CAP

In aluminium



In aluminium



FILLING FOR SOPRASSUB DIVE LOG

WRITING WRIST SLATE with common messages

UNDERWATER



HOSE WRAP

Available in yellow and blue.

805600

TANK

852120

852121

HOOK FOR

JONLINE

BANGER



Made of 420denier PU.

SILICONE

SPRAY



HOSE PROTECTOR

852122 95 cm

SLATE

REEF HOOK



SILICONE





SHAKER

With magnet inside.

UNDERWATER STICK

Good for pointing or for anchoring in strong currents.















































80680/K, B, Y colour







HANGER II BLACI

FOR SUITS









852410	80 1/176 lb
852415	60 1 / 132 lb
852420	40 1 / 88 lb
852425	20 1 / 44 lb

WATERPROOF BAG











806300 10 x 7 cm / 4 x 3"

EXTRA SMALI

DRY BOX -

852455 **WATERPROOF LADY HAND BAG**











DRY BOX MEDIUM



852110 11 x 8 cm / 4 x 3" **BAG FOR** COMPASSES





COMPUTER AND GAUGES BAG

851900 30 x 16,5 x 11,5 cm / 11 x 6,5 x 4,5" **BAG FOR**



CONSOLES

851502 55 x 70 x 30 cm / 22x28x12" PVC 600 D 110 1 / 240 lb

SOPRAS DIVING TROLLEY

Our new trolley includes a detachable back pack in the front and two big bags for fins on the sides. On the bottom there is a handle for easy carrying that ensures also perfect stability when standing vertical on wheels. One side handle makes it much easier to carry it. Light weight - 3,5kg only.





SOPRAS

851400 420 denier 80 x 40 cm / 31 x 16" PU 601 colour **MESH GEAR BAG**

851150 420 denier 63 x 49 cm / 25 x 20"

PU 501 colour


MESH BAG FOR

JACKETS AND SUITS

CY1100 840 D 43 x 33 cm / 18 x 12" colour CYCLING BACKPACK



20 litres volume cycling backpack with fluo rain cover, waist strap, earphones predisposition, thick polstering on the back and padded shoulder straps, many zipper pockets and equipment compartments.



FOLDABLE MESH

BACK PACK

BRIEF CASE

Multi function with in-

side pocket, shoulder

strap and handle.

851000 840 D 43 x 33 cm / 18 x 12" PVC colour

851200 420 denier 43 x 64 cm / 18 x 25" PU colour

840 D 38 x 15 x 12 cm / 18 x 25" PVC Dobby Nylon colour **WAIST BAG**

Zipper: #8 Chuncky zipper Buckles: plastic Buckles.

CY1200 30 x 50 x 20 cm / 12 x 20 x 8" nylon 210D colour

CYCLING BACKPACK



Extra light expandable cycling backpack, includes a fluo waterproof cover.

